


The
Entomologist's Record
and Journal of Variation

Edited by C. W. Plant



Contents and Special Index

Volume 124

2012

ISSN 0013-8916

www.entrecord.com

*A publication of The Amateur
Entomologists' Society*

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 2674302

Annual subscription for 2012 is £25 for individuals or £50 for institutional subscribers

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.

14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.

Telephone: 01279 507697 E-mail: cpauk1@ntlworld.com

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
Subscriptions, change of address, etc – contact PO Box 8774, London SW7 5ZG
Late or non-arrivals, back issues – contact PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue. The Editor will be pleased to assist in any way possible, especially if you are a first-time author. If in doubt – contact me! Ideally material will be compatible with Microsoft Word and will arrive via e-mail, but we will accept typescripts or *neatly* hand-written contributions for shorter Notes.

Notes are reviewed and accepted by the Editor and are especially welcomed. We aim to publish these within two issues of acceptance.

Full papers must include an Abstract and a maximum of ten Key Words and acceptance is subject to external peer-review; full papers may be returned for changes before final acceptance and we aim to publish these within three or four issues of original receipt.

Colour or black and white photographs are welcomed but will only be used if they are deemed relevant by the Editor. All pictures, as well as graphs and other objects created in Excel or other programs must be sent as separate files. This is because files embedded in Word documents cannot be edited.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

Data Protection Act, 1998

Subscribers' names, address, AES publications subscribed to and, where provided, e-mail addresses and telephone numbers, are stored on a computer database for the sole purpose of administering the publication and distribution of this journal. The information may be accessed by or sent to elected AES council members for AES business purposes, but will be used solely for the purposes of managing AES membership subscriptions and administering the Society. It will not be divulged to any third party without your permission except where the Society is legally obliged to do so. By subscribing to the *Entomologist's Record and Journal of Variation* you agree to these data storage conditions. If you object to us storing these data please let us know.

Front cover image of *Rheumaptera hastata hastata* (L.) from photograph © by John Knowler

CONTENTS

compiled by Colin W. Plant and Andrew Smith

1: PEER-REVIEWED PAPERS

A

A new aberration of the Common Blue Butterfly *Polyommatus icarus* Rott. (Lycaenidae) from Tresco, Isles of Scilly: is this E. B. Ford's lost race rediscovered? *Rupert Barrington*, 237-242

B

Brownfield sites and invertebrate biodiversity in the post-industrial environment of London. *Genevieve Mun-Ee-Leong*, 49-58

Brownfield sites and moth diversity in the Tees Estuary. *Robert Woods* 89-100

Bucculatrix chrysanthemella Rebel, 1896 (Lep.: Bucculatricidae) new to Britain. *Rachel Terry*, 59-63

C

Caloptilia hemidactylella (D.& S.) (Lep.: Gracillariidae): a rare species discovered in Northumberland. *Stewart Sexton*, 231-233

M

Microlepidoptera Review of 2011. *J.R. Langmaid and M.R. Young*, 249-276

N

New Leafrollers (Lep.: Tortricidae) for Bulgaria with taxonomical comments. *Boyan Zlatkov and Ognyan Sivilov*, 31-40

New records of Grecian Copper, *Lycaena ottomana* (Lefèbvre, 1830) (Lep.: Lycaenidae) in Croatia. *Toni Koren, Ana Štih, Domen Trkov and Mitja Črne*, 215-223

Nineta inpunctata (Reuter, 1894) (Neu.: Chrysopidae): a second British Isles record. *Chris R. Shortall & Colin W. Plant*, 234-236

Notes on the distribution and ecology of the Gatekeeper Butterfly *Pyronia tithonus* (L.) ab. *excessa* Tutt in Britain and Europe (Lep.: Nymphalidae). *Rupert Barrington*, 185-194

O

Oviposition in *Pennisetia hylaeiformis* (Lasp.) – the Raspberry Clearwing (Lep.: Sesiidae). *Angie Craig*, 212-214

P

Pammene ignorata (Kuzn.) (Lep.: Tortricidae): a new Northumberland (VC 67) record. *T. J. Tams*, 282-285

Pseudococcyx tessulatana (Staudinger, 1871) (Lep.: Tortricidae, Olethreutinae) in Britain. *Harry E. Beaumont*, 64-66

S

Scarce and migrant ladybirds (*Coccinellidae*) in moth traps. *Andrew Collins* 148-152

Scythris crassiuscula (Herrich-Schäffer) (Lep.: Scythrididae) bivoltine in the Cotswolds. *G. H. J. Meredith*, 167-169

T

Temperature determines the presence of *Micropterix calthella* L. (Lep.: Micropterigidae) in flower-heads of Creeping Buttercup *Ranunculus repens*. *Adrian Spalding*, 153-160

- The immigration of Lepidoptera to the British Isles in 2009. *Sean P. Clancy* 105-139
- The importance of brownfield sites for moths: moths of Nosterfield Local Nature Reserve in North Yorkshire. *Jill Warwick*, 77-88
- Two new species of Platygastroidea (Hymenoptera) from Ireland. *Peter Neerup Buhl and James P. O'Connor*, 195-200

2: NOTES

A

- A British record of *Phyllocnistis citrella* Stainton, 1856 (Lep.: Phyllocnistidae). *Robert Homan*, 279-281
- A good year for *Corizus hyoscyami* (L.) (Hem.: Rhopalidae). *Rob Ryan*, 143-145
- A very early record of Brindled Pug *Eupithecia abbreviata* (Steph.) (Lep.: Geometridae). *Duncan W. W. Davidson*, 104
- A very early record of Brindled Pug *Eupithecia abbreviata* (Steph.) (Lep.: Geometridae). *Duncan W. W. Davidson*, 170
- A very early sighting of the Small Blue butterfly *Cupido minimus* (Fuess.) (Lep.: Lycaenidae) in 2012. *Sam Knill-Jones*, 203
- A water-dropwort *Oenanthe crocata* leaf miner. *Robert Homan*, 244
- Adaptation of the hind legs for display by the male Gold Swift *Hepialus hecta* L. (Lep.: Hepialidae). *Nicholas Picozzi*, 165-166
- Agonopterix subpropinquella* (Stainton) (Lep.: Oecophoridae) reared from Saw-wort *Serratula tinctoria*. *R. J. Heckford*, 102
- An Irish male of *Craspedolepta nebulosa* (Zetterstedt) (Hem.: Psyllidae). *James P. O'Connor*, 204
- An unseasonal record of *Apamea anceps* (D.&S.) (Lep.: Noctuidae), the Large Nutmeg, in Buckinghamshire (VC 24). *Nigel Partridge*, 14
- An unseasonal record of *Orthosia gothica* (L.) Hebrew Character (Lep.: Noctuidae) in Bedfordshire (VC 30). *Alan R. Outen*, 17

B

- Batrachedra praeangusta* (Haw.) (Lep.: Batrachedridae) new to the Isle of Wight. *Martin C. Harvey*, 160
- Bohemannia auriciliella* (Joannis, 1908) (Lep.: Nepticulidae) – New to Buckinghamshire. *Peter Hall*, 101-102
- Brownfield mothing long ago. *Roy Leverton*, 69-74

C

- Callophrys rubi* (L.) ab *radiata* Frost (= *dennisorum* Campbell, syn. nov.) (Lep.: Lycaenidae) Green Hairstreak. *Howard M. Frost*, 225
- Closterotomus trivialis* (A. Costa) arrives in Oxford and *Agnocoris reclairei* (Wagner) returns (Hem.: Miridae). *Rob Ryan*, 277-278
- Coleophora frischella* (L.) (Lep.: Coleophoridae) and other interesting new moth records for Northumberland. *Tom Tams*, 163-164
- County Moth Recorders and Moth Recording Schemes. *Colin W. Plant*, 1-10

D

- December Large Nutmeg *Apamea anceps* (D.&S.) (Lep.: Noctuidae) in Berkshire. *Martin Harvey*, 14-15

Dichroscytus gustavi Josifov (Hem., Miridae) doing well in the Chiltern Hills. *Rob Ryan*, 201-202
Dicyphus escalerae Lindberg (Hem., Miridae) in Oxford. *Rob Ryan*, 58

E

Early appearance of *Xylocampa areola* (Esper) and *Orthosia gothica* (L.) (Lep.: Noctuidae) in northern Spain. *Teresa Farino and Steve J. Petty*, 18-19
 Early records of *Orthosia gothica* (L.) Hebrew Character (Lep.: Noctuidae) and other "Spring" moths in Yorkshire. *Charles Fletcher*, 19
 Editorial Comment: Oviposition in *Pennisetia hylaeiformis*. *Colin W. Plant*, 214
Eucosma campoliliana (D.& S.) (Lep.: Tortricidae): new to the Shetland Isles. *Jon Clifton*, 102

F

First record of the Large Thorn *Ennomos autumnaria* Wernerb. (Lep.: Geometridae) in Leicestershire. *Philip J. L. Gould*, 19-20
 Flight time of *Eriopygodes imbecilla* (Fabr.) (Lep.: Noctuidae) The Silurian. *Tony Pickles*, 278-279

H

Hypenodes humidalis Doubleday (Lep.: Noctuidae) new to the Bulgarian fauna. *Colin W. Plant, Stoyan Beshkov, Tony Pickles and Boyan Zlatkov*, 161-162

I

Is it early or is it late? A November *Apamea anceps* (D.&S.) (Lep.: Noctuidae) in Hertfordshire. *Colin W. Plant*, 15-16

L

Lycia zonaria D.&S. Belted Beauty (Lep.: Geometridae) in Britain and France. *Graham Wenman*, 170-172

M

Mompha bradleyi Riedl (Lep.: Momphidae) in West Norfolk. *Dick Jones*, 101
Mompha jurassicella (Frey) (Lep.: Momphidae) – some recent records. *David Manning*, 184
Monochroa lutulentella (Zeller) (Lep.: Gelechiidae) new to the Isle of Wight, with details of records from Hampshire. *Martin C. Harvey and Tim Norriss*, 11-12
Morophaga choragella (D. & S.) (Lep.: Tineidae): feeding in derelict larval galleries of *Dorcus parallelepipedus* (Col.: Lucanidae). *Russell Miller*, 228-230
 Moths and hay bales. *Martin Corley*, 181-183
 Moths new to the Isle of Wight in 2011. *Sam Knill-Jones*, 203
 Moths on West Lothian 'bings'. *Mark Cubitt*, 66

N

New County and interesting Lepidoptera records in Devon in 2011. *Roy McCormick*, 177
 New host record for *Paraperithous gnathaulax* (Thomson, 1877) (Hym.: Ichneumonidae) of *Pyrochroa coccinea* (Linnaeus, 1761) (Col.: Pyrochroidae). *Yikai Zhang*, 206-207
 New records of Triple-spotted Pug *Eupithecia trisignaria* H.-S. (Lep.: Geometridae) in Bedfordshire, VC 30. *Philip J. L. Gould*, 25
 New Welsh and county moth records for Pembrokeshire in 2011. *Paul Warren*, 226-227

O

Oak Eggar *Lasiocampa quercus* (L.) (Lep.: Lasiocampidae) larva recorded on food-plant previously unrecorded in Sussex (VC14). *Steven M. Teale*, 179-181

- Olice Crescent *Trisateles emortualis* (D. & S.) (Lep.: Noctuidae) colony discovered in Suffolk. *Tony Prichard*, 285
- One to watch out for: *Tuta absoluta* (Meyrick) (Lep.: Gelechiidae) apparently free-flying in Worcestershire. *Patrick Clement*, 13

P

- Pachytomella parallela* (Meyer-Dur) (Hem., Miridae) in the Chiltern Hills. *Rob Ryan*, 243
- Philophorus cinnamopterus* (Kirschbaum, 1856) (Het.: Miridae) in Edinburgh – a new species for Scotland. *Nick A. Littlewood*, 183-184
- Phycitodes saxicola* (Vaughan) (Lep.: Pyralidae) in mid-April. *R. J. Heckford and B. P. Henwood*, 194
- Phyllonorycter leucographella* (Zeller, 1850) (Lep.: Gracillariidae) and *Prunus*. *Robert Homan*, 22-23
- Phyllonorycter sagittella* (Bjerkander) (Lep.: Gracillariidae) in Kent. *Mark Parsons*, 236
- Ponera testacea* (Emery) (Hym.: Formicidae) in Devon and Cornwall. *Keith N. A. Alexander*, 41-42
- Possible colony of Chalk Carpet *Scotopteryx bipunctaria* (D. & S.) (Lep.: Geometridae) on a brownfield site in Buckinghamshire. *Dave Wilton*, 227-228

R

- Record Humming-bird Hawk-moth *Macroglossum stellatarum* (L.) (Lep.: Sphingidae) immigration into Britain and Ireland in 2011. *Richard Fox*, 140-143
- Results of a pheromone trap run in a rural Norfolk garden during 2011. *Jon Clifton*, 12

S

- Some noteworthy moth records from Werrington, Peterborough, in 2011. *Paul Waring*, 172-176
- Spruce Carpet *Thera britannica* (Turner) (Lep.: Geometridae) in late March in Devon. *Miss S. D. Beavan and R. J. Heckford*, 166
- Stenodema holsata* (Fabricius) (Hem., Miridae) in the Chiltern Hills. *Rob Ryan*, 145-147
- Stephanitis takeyai* Drake & Maa (Hem., Tingidae) at Box Hill, Surrey. *Rob Ryan*, 24
- Stephanitis takeyai* Drake & Maa (Hem., Tingidae) new to Oxfordshire. *Rob Ryan*, 204-205

T

- The Isle of Wight Wave *Idaea humiliata* (Hufn.) (Lep.: Geometridae) found in Old Weston, Huntingdonshire. *Barry Dickerson*, 41
- The Isle of Wight Wave *Idaea humiliata* (Hufn.) (Lep.: Geometridae) in Huntingdonshire: A correction. *Kevin Royles and Barry Dickerson*, 161
- The larval stage of *Epagoge grotiana* (Fabricius) (Lep.: Tortricidae). *R. J. Heckford*, 27-29
- The Rothamsted Insect Survey light-trap on Jersey – specimens of note from 2009. *Philip J. L. Gould*, 26-27
- Thyme Pug *Eupithecia distinctaria* (H.-S.) (Lep.: Geometridae). Why is it so local? *Roy Leverton*, 20-22
- To what height will a Narrow-bordered Five-spot Burnet *Zygaena lonicerae* (Scheven) (Lep.: Zygaenidae) climb to pupate? *Kevin Royles*, 209-211
- Tuponia brevirostris* Reuter (Hem.: Miridae) at Lepe, Hampshire. *Rob Ryan*, 29
- Two unseasonal records of *Eupithecia dodoneata* Guenée (Lep.: Geometridae) Oakptree Pug in Buckinghamshire (VC 24). *Peter R. Hall*, 16-17
- Two unusual Psocoptera – *Pteroxanium kelloggi* (Ribaga) and *Badonnelia titei* Pearman indoors in Northamptonshire. *R. Colin Welch*, 178-179

U

- Unseasonal Brown Rustic *Rusina ferruginea* Esper (Lep.: Noctuidae) in Middlesex. *Debbie Pledge*, 17-18
- Unseasonal records of *Apamea anceps* (D.&S.) Large Nutmeg (Lep.: Noctuidae) in Bedfordshire (VC 30). *Andy and Melissa Banthorpe*, 15
- Unseasonal records of *Apamea monoglypha* (Hufn.) Dark Arches (Lep.: Noctuidae) in Dorset (VC 9). *L. Hill*, 14
- Unusual moths in Warwickshire 2011. *David C. G. Brown*, 101
- Unusual refreshment for an Old Lady . . . and others. *Charlie Barnes*, 25

W

- Wastelands as steppes: the presence of *Cucullia fraudatrix* Eversmann 1837 (Lep.: Noctuidae) in Berlin. *Matthew Gandy*, 66-68

3: SUBSCRIBERS' NOTICES AND ANNOUNCEMENTS

Announcements

- Addenda et Corrigenda. *Editor*, 288
- Announcement: Gelechiid Recording Scheme. *Carolyn and Stephen Palmer*, 42-43
- Award for Invertebrate Conservation. *Editor*, 30
- Annual reviews of immigrant Lepidoptera. *Editor*, 74-76
- British Isles Lacewing and Allies Recording Scheme. *Colin W. Plant*, 230
- Call for Notes on the 2012 season. *Editor*, 205
- Enjoying Moths – the ebook version. *Roy Leverton*, 224
- Is the Diamond-back moth marked for extinction? *Editor*, 30

4: BOOK REVIEWS

- Bird-dropping Tortrix Moths of the British Isles. A Field Guide to the Bird-dropping Mimics*, 103-104
- Colour Identification Guide to Caterpillars of the British Isles*, 248
- Distribution Atlas of Butterflies in Europe*, 44-46
- Field Guide to the micro moths of Great Britain and Ireland*, 245-246
- Microlepidoptera of Europe. Volume 6: Gelechiidae II (Gelechiinae: Gnorischemini)*, 287-288
- Moths of Europe, Volume 3: Zygaenids, Pyralids I*, 207-208
- Moths of Great Britain and Ireland*, 246-247
- Nationalnyckeln till Sveriges Flora och Fauna. Fjärilar: Bronsmaler – rullvingemaler (Lepidoptera: Roeslerstammiidae – Lyonetiidae)*, 48
- The Geometrid Moths of Europe Volume 3, Larentiinae I*, 286
- The Staphylinidae (rove beetles) of Britain and Ireland Parts 7 & 8: Oxyporinae, Steninae, Euaesthetinae, Pseudopsinae, Paederinae, Staphylinidae*, 46-47
- World Catalogue of Insects 10: Psychidae (Lepidoptera)*, 248

5: CONTRIBUTORS

Page number entries in **bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in italic type.

Alexander, Keith N. A.	41-42	Manning, David	184
Banthorpe, Andy	15	McCormick, Roy	177
Banthorpe, Melissa	15	Meredith, G. H. J.	167-169
Barnes, Charlie	25	Miller, Russell	228-230
Barrington, Rupert	185-194, 237 - 242	Mun-Ee-Leong, Genevieve	49-58
Beaumont, Harry E.	64-66	Norriess, Tim	11-12
Beavan, S. D.	166	O'Connor, James P.	195-200 ; 204
Beshkov, Stoyan	161-162	Outen, Alan R.	17
Brown, David C. G.	101	Parsons, Mark	236
Buhl, Peter Neerup	195-200	Partridge, Nigel	14
Clancy, Sean P.	105-139	Petty, Steve J.	18-19
Clement, Patrick	13	Pickles, Tony	161-162; 278-279
Clifton, Jon	12; 102	Picozzi, Nicholas	165-166
Collins, Andrew	148-152	Plant, Colin W.	1-10; 15-16; 214; 161-162; 234-236
Corley, Martin	181-183	Pledge, Debbie	17-18
Craig, Angie	212-214	Prichard, Tony	285
Črne, Mitja	215-223	Royles, Kevin	161; 209-211
Cubitt, Mark	66	Ryan, Rob	24; 29; 58; 143-145; 145-147; 201-202; 204-205; 243; 277-278
Davidson, Duncan W. W.	104; 170	Sexton, Stewart	231-233
Dickerson, Barry	41; 161	Shortall, Chris R.	234-236
Farino, Teresa	18-19	Sivilov, Ognyan	31-40
Fletcher, Charles	19	Spalding, Adrian	153-160
Fox, Richard	140-143	Štih, Ana	215-223
Frost, Howard M.	225	Tams, Tom J.	163-164; 282-285
Gandy, Matthew	66-68	Teale, Steven M.	179-181
Gould, Philip J. L.	19-20; 25; 26-27	Terry, Rachel	59-63
Hall, Peter R.	16-17; 101-102	Trkov, Domen	215-223
Harvey, Martin C.	11-12; 14-15; 160	Waring, Paul	172-176; 226-227
Heckford, R. J.	27-29; 102; 166; 194	Warwick, Jill	77-88
Henwood, B. P.	194	Welch, R. Colin	178-179
Hill, L.	14	Wenman, Graham	170-172
Homan, Robert	22-23; 244; 279-281	Wilton, Dave	227-228
Jones, Dick	101	Woods, Robert	89-100
Knill-Jones, Sam	203; 203	Young, M.R.	249-276
Koren, Toni	215-223	Zhang, Yikai	206-207
Langmaid, J. R.	249-276	Zlatkov, Boyan	31-40 ; 161-162
Leverson, Roy	20-22; 69-74		
Littlewood, Nick A.	183-184		

SPECIAL INDEX

Compiled by Catherine Wellings

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are denoted by an asterisk.

	Page		Page
LEPIDOPTERA		alismana, Gynnidomorpha	267
abbreviata, Eupithecia	104, 170	alnetella, Stigmella	254
abietana, Acleris	269	alni, Acronicta	87
abietella, Dioryctria	111	alniaria, Ennomos	86, 231
abscisana, Lobesia	34, 84, 276	alpinella, Platytes	273
absinthiata, Eupithecia	86	alsines, Hoplodrina	88, 183
absinthii, Bucculatrix	59, 60	alstromeriana, Agonopterix	263
absinthii, Cucullia	69	alternata, Epirrhoe	73, 86
absoluta, Tuta	13, 106, 108	alternella, Tortricodes	104, 170, 269
acanthadactyla, Amblyptilia	275	ambigua, Hoplodrina	15
aceris, Stigmella	254	ambigualis, Scoparia	86
acetosae, Enteucha	254	ambiguella, Eupoecilia	109
achatana, Ancylys	84	amethystinella, Coleophora	260
acroxantha, Tachystola	18, 262	amplana, Cydia	109, 135
acuminatana, Dichrorampha	84, 163, 272	anachoreta, Clostera	116
acuta, Chrysodeixis	106, 120	anatolica, Hypenodes	162
acutellus, Sclerocona	136	anceps, Apamea	14-16, 174, 182
adjunctella, Coleophora	261	ancipitella, Scoparia	273
adscitella, Elachista	262	angelicata f. of trisignaria, Eupithecia	70
adustella, Blastobasis	84, 250, 266	anglicella, Parornix	83
advenaria, Cepphis	114	angustea, Eudonia	95
advenella, Trachycera	86, 274	angustiorana, Ditula	268
aequidentellus, Epermenia	226, 272	annae, Phtheochroa	32
aeratana, Dichrorampha	163, 272	anthyllidella, Aproaerema	80, 84, 265
aerugula, Nola	116	antiqua, Orgyia	87, 174
aescularia, Alsophila	86	apicipunctella, Elachista	262
aestimaria, Chiasmia	105, 113	aprilella, Metzneria	264
aestivaria, Hemitea	86	aprilina, Dichonia	87, 176
affinis, Bryotropha	84, 264	arcuatella, Ectoedemia	253
affinis, Cosmia	227	arenella, Agonopterix	84, 182, 263
affinitata, Perizoma	86	areola, Xyllocampa	18-19, 87
agestis, Aricia	80	argentella, Elachista	84
agnostana, Pammene	271	argentula, Coleophora	261
ahenella, Hypochalcia	275	argiades, Everes	112
alacella, Dichomeris	266	armigera, Helicoverpa	133
albicillata, Mesoleuca	86	artemisiolella, Coleophora	261
albicosta, Coleophora	84	artemisiella, Bucculatrix	59
albifasciella, Ectoedemia	83, 253	artemisiella, Scrobipalpa	265
albifrontella, Syncopacma	250	aruncella, Micropterix	252
albimaculea, Denisia	262	assectella, Acrolepiopsis	108, 259
albipuncta, Mythimna	117	assimilella, Stigmella	253
albuginana, Pammene	12, 203, 271, 282	asteris, Coleophora	261
albula, Meganola	116	atalanta, Vanessa	125
alchemillata, Perizoma	86	atrata, Odezia	71
alchimiella, Caloptilia	226, 256	atricapitana, Cochylys	84, 268
alciphron, Lycaena	215	atricollis, Ectoedemia	83
alcyonipennella, Coleophora	163	atricomella, Elachista	84
alfacariensis, Colias	112	atriplicis, Trachea	119
algae, Cryphia	118, 136	atropos, Acherontia	115, 135

atropunctana, Metendothenia.....	80, 84	britannica ssp of Lycia zonaria.....	170-172
augur, Graphiphora.....	182	britannica, Thera.....	86, 166
aurago, Xanthia.....	87	brockeella, Argyresthia.....	258
aurana, Pammene.....	272	brongniardella, Acrocercops.....	257
aurella, Stigmella.....	83, 253	brunneata, Itame.....	105, 113-114, 135, 177
auriciliella, Bohemannia.....	101-102, 252	brunnichana, Epinotia.....	270
auroguttella, Eucalybites.....	257	bucephala, Phalera.....	87
autumnaria, Ennomos.....	19-20	buoliana, Rhyacionia.....	64
autumnitella, Acrolepia.....	259	caeruleocephala, Diloba.....	87
avellanellella, Semioscopis.....	263	caesiella, Swammerdamia.....	83
aversata, Idaea.....	86	caespitiella, Coleophora.....	84, 261
azaleella, Caloptilia.....	256	cagnagella, Yponomeuta.....	108, 259
badia, Anatrachyntis.....	267	caja, Arctia.....	87, 176
badiana, Ancylys.....	84	caliginosa ssp. of Noctua interjecta.....	87
badiata, Anticlea.....	86	calthella, Micropterix.....	153-160, 252
badiella, Depressaria.....	80, 84, 263	camilla, Limenitis.....	190
baixerasana, Dichrorampha.....	33, 38, 39	campoliliana, Eucosma.....	84, 102, 271
baja Xestia.....	87	cana, Eucosma.....	84
bankiana, Deltote.....	119, 135	canapennella, Elachista.....	84
basaltinella, Bryotropha.....	264	candens, Lycaena.....	215
batis, Thyatira.....	86	caniola, Eilema.....	116
bechsteinella, Bucculatrix.....	256	capitella, Lampronia.....	254
bennettii, Agdistis.....	275	caprana, Epinotia.....	270
berbera, Amphipyra.....	87	capucina, Ptilodon.....	87
betularia, Biston.....	73, 86, 173	caradjai, Oegoconia.....	266
betulella, Coleophora.....	84	cararia, Stegania.....	105, 106, 113, 135
betuletana, Apotomis.....	270	carduella, Agonopterix.....	263
betulicola, Caloptilia.....	256	cardui, Vanessa.....	105, 125-126, 140
bicolorana, Bena.....	88	carphodactyla, Euleioptilus.....	80, 86
bicolorata, Hecatera.....	66, 79, 87, 174	carpinata, Trichopteryx.....	86
bicruris, Hadena.....	71, 87	casta, Psyche.....	255
bidentata, Odontopera.....	72	cataluanalis, Antigastra.....	110, 274
bifaciata, Perizoma.....	93	catharticella, Stigmella.....	254
bifractella, Apodia.....	264	caucasica, Dichrorampha.....	31, 33, 38, 39
bigella, Euzophora.....	105, 111	celerio, Hippotion.....	116
bilineata, Campptogramma.....	86, 182	centaureata, Eupithecia.....	86
bilunana, Epinotia.....	84, 270	centifoliella, Stigmella.....	164
binaevella, Phycitodes.....	86, 275	centrago, Atethmia.....	87
binaria, Watsonalla.....	86	cerasana, Pandemis.....	84
bipunctaria, Scotopteryx.....	227-228	cerasi, Orthosia.....	19, 87
bipunctidactyla, Stenoptilia.....	86, 275	cerasicolella, Phyllonorycter.....	23
bipunctosa, Agonopterix.....	263	chalcites, Chrysodeixis.....	120
biselata, Idaea.....	86	chenopodiata, Scotopteryx.....	79, 86, 182
bistortata, Ectropis.....	74, 86	chloerata, Pasiphila.....	86
bistriga, Cryptoblabes.....	274	chlorosata, Petrophora.....	86
bistrigella, Phylloporia.....	254	choragella, Morophaga.....	228-230
biviella, Vitula.....	275	chrysanthemella, Bucculatrix *.....	59-63, 251, 256
blancardella, Phyllonorycter.....	83, 257	chrysippus, Danaus.....	112
blanda, Hoplodrina.....	88, 183	chrysis, Diachrysis.....	88
blandella, Brachmia.....	95, 266	cicatricella, Eriocrania.....	252
blandella, Caryocolum.....	265	cicatricella, Haimbachia.....	109
blattariella, Anacamptis.....	266	cidarella, Bucculatrix.....	256
boisduvaliella, Pima.....	95	ciliella, Agonopterix.....	263
bonnetella, Argyresthia.....	83	cilium, Spodoptera.....	106, 119
bractea, Autographa.....	88, 121	cinctella, Syncopacma.....	265
bradleyi, Mompha.....	101, 184, 267	cinerella, Acompsia.....	84, 266
brassicacae, Mamestra.....	69, 87	cinerosana, Dichrorampha.....	39
brassicacae, Pieris.....	112		

circellaris, Agrochola.....	87, 183	cuprella, Adela.....	226, 255
circumvoluta, Myelois.....	86, 95, 275	cupressella, Argyresthia.....	258
cirsiana, Epiblema.....	282	currucipennella, Coleophora.....	260
citrato, Xanthia.....	87	curvatula, Drepana.....	112
citrata, Chloroclysta.....	86	cyaneimarmorella, Stenoptinea.....	255
citrella, Phyllocnistis.....	279-281	cynosatella, Epiblema.....	72, 84
clathrata, Chiasmia.....	113	cytisella, Monochroa.....	264
clavipalpis, Paradrina.....	88, 182, 183	dalmatana, Epinotia.....	33, 35
clavis, Agrotis.....	66, 87, 95	dardoinaria, Crocallis.....	105, 114
clerkella, Lyonetia.....	83, 260	dealbana, Gypsonoma.....	84
clorana, Earias.....	120	decentella, Ectoedemia.....	252
cnicolana, Epiblema.....	35	decoloraria, Xanthorhoe.....	82, 86
c-nigrum, Xestia.....	87, 182	decurella, Carpatolechia.....	265
comae, Timandra.....	86, 182	defoliaria, Erannis.....	86
comariana, Acleris.....	84, 269	degeneraria, Idaea.....	113
combinella, Pseudoswammerdamia.....	83, 259	delamerensis, f. of	
comes, Noctua.....	87, 181, 182	Ectropis crepuscularia.....	74
comma, Mythimna.....	87	demarniana, Epinotia.....	270
communana, Cnephasia.....	268	demaryella, Bucculatrix.....	256
comparella, Phyllonorycter.....	236, 258	dennisorum, ab. of Callophrys rubi.....	225
compositella, Grapholita.....	272	dentalis, Cynaeda.....	109
compunctella, Swammerdamia.....	259	dentaria, Selenia.....	86
confusa, Hadenia.....	71	denticulella, Callisto.....	83
confusa, Macdunnoughia.....	120-121	deponens, Dinumma.....	106, 122
confusalis, Nola.....	87	depuncta, Eugnorisma.....	79, 87
coniana, Dichrorampha.....	39	derivata, Anticlea.....	86
conicolana, Cydia.....	35	designata, Xanthorhoe.....	86
coniferana, Cydia.....	272	devoniella, Parornix.....	83
conigera, Mythimna.....	79, 87, 182	diffinis, Teleiopsis.....	265
conjugella, Argyresthia.....	258	dilucidana, Aethes.....	268
consimilana, Clepsid.....	28, 84, 268	dilutata, Epirrita.....	86
consortella, Cosmiotes.....	262	dimidiata, Idaea.....	86
conterminana, Eucosma.....	94	discordella, Coleophora.....	260
conterminella, Agonopterix.....	263	dispar, Lycaena.....	116, 215, 222
conturbatella, Mompha.....	266	dissoluta, Archanara.....	96, 98
convolvuli, Agrius.....	130, 135, 235	distans, Crombrugghia.....	275
convagana, Pseudargyrotoza.....	84	distinctaria, Eupithecia.....	20-22
conyzae, Coleophora.....	260	divisella, Mompha.....	267
coracipennella, Coleophora.....	260	dodecea, Ethmia.....	108
corticella, Lampronia.....	254	dodonaea, Tischeria.....	254
corylana, Pandemis.....	84, 268	dodoneata, Eupithecia.....	16
coryli, Phyllonorycter.....	83, 257	dolabraria, Plagodis.....	86
corylifoliella, Phyllonorycter.....	23	domestica, Cryphia.....	87
cosmophorana, Cydia.....	36, 272	dominula, Chelis.....	238
costalis, Hypsopygia.....	86, 182, 274	doubledayana, Syricoris.....	34
crassa, Agrotis.....	136	dromedarius, Notodonta.....	87
crassalis, Hypena.....	122	drurella, Chrysoesthia.....	264
crassiuscula, Scythris.....	167-169	dubiella, Tinea.....	256
crenata, Apamea.....	88	dubitana, Cochylis.....	268
crepuscularia, Ectropis.....	74	duplaris, Ochropacha.....	86
crepusculella, Pseudopostega.....	254	efformata, Aplocera.....	86
croceus, Colias.....	124	effractana, Acleris.....	250
croesella, Adela.....	255	electa, Catocala.....	106, 121
cruciana, Epinotia.....	270	elinguaria, Crocallis.....	86
cruda, Orthosia.....	87	elpenor, Deilephila.....	69, 87
cryptella, Trifurcula.....	253	elutella, Ephestia.....	182, 275
cucullatella, Nola.....		elymi, Chortodes.....	92, 95, 119
culmella, Chrysoteuchia.....	84	emargana, Acleris.....	84, 250

emortualis, Trisateles	122, 285	formosanus, Lozotaeniodes	84
ephemerella, Acentria	84	formosanus, Lozotaeniodes	64
epilobiella, Mompha	84	forsskaeana, Acleris	84
epomidion, Apamea	88, 174, 182	forsterella, Glyphipterix	258
eremita, Dryobotodes	87	fovealis, Duponchella	110
ericella, Crambus	273	frangutella, Bucculatrix	256
eriphia, Antichloris	116	fraternana, Epinotia	270
erythrocephala, Conistra	118	fraternella, Caryocolum	84, 265
esperella, Phyllonorycter	258	fraudatrix, Cucullia	66-68
euphorbiae, Hyles	115	fraxinella, Prays	83, 84
evonymella, Yponomeuta	83, 108, 259	fraxini, Catocala	121
exanthemata, Cabera	87	freyerella, Cosmiotes	262
excessa ab. of Pyronia tithonus	185-194	friesei, Ocnerosstoma	259
exclamationis, Agrotis	16, 87, 182	frischella, Coleophora	163-164, 260
exigua, Spodoptera	82, 88, 133	froelichiella, Phyllonorycter	258
exiguata, Eupithecia	86	fucosa, Amphipoea	89, 96, 97
extimalis, Evergestis	95	fugitivella, Carpatolechia	265
extrema, Chortodes	119	fulgens, f. of Pyronia tithonus	188
fagella, Diurnea	84, 263	fuliginaria, Parascotia	122
fagivora, Parornix	257	fuliginosa, Phragmatobia	87, 182
falcataria, Drepana	86	fulvalis, Udea	110
falconipennella, Caloptilia	203, 256	fulvata, Cidaria	86
fallax, Elegia	251, 274	fumatella, Chionodes	265
falsella, Catoptria	84	funebrana, Grapholita	12, 84, 272
fascinelina, Pediasia	109	furcata, Hydriomena	86
fasciella, Nemophora	255	furcula, Furcula	87
fasciuncula, Oligia	88	furfurana, Bactra	270
ferrago, Mythimna	87, 182	furuncula, Mesoligia	88, 183
ferrugalis, Udea	82, 86, 122, 123-124	fusca, Pyla	274
ferrugana, Acleris	269	fuscantaria, Ennomos	86
ferrugata, Xanthorhoe	86, 182	fuscescens, Borkhausenia	262
ferruginea, Rusina	17-18	fusconebulosa, Hepialus	83
festaliella, Schreckensteina	273	fuscovenosa, Idaea	161
festucae, Plusia	70, 88, 231	gallii, Hyles	115, 135
filicivora, Psychoides	255	gamma, Autographa	82, 88, 122, 134, 175, 183
filigrammaria, Epirrita	86	geminana, Ancyliis	270
filipendulae, Stigmella	253	geniculea, Agriphila	95, 276
filipendulae, Zygaena	83, 209	geniculella, Phyllonorycter	83, 258
fimbrialis, Thaleria	112	giganteana, Pammene	79, 84, 271
fimbriata, Noctua	87	gilvago, Xanthia	79, 87, 118, 175
finitimella, Parornix	83	gilvata, Uresiphita	135, 273
flammea, Panolis	87	glauca, Clix	86
flammea, Trigonophora	118, 177	glaucicolella, Coleophora	84, 261
flavago, Gortyna	88	glaucinalis, Orthopygia	86, 274
flavicaput, Spuleria	164	glaucinella, Argyresthia	258
flavidorsana, Dichrorampha	272	gnaphaliella, Bucculatrix	59, 60
flavimaculella, Teleiodes	264	gnoma, Pheosia	87
flavimitrella, Lampronia	254	goedartella, Argyresthia	83
flavipennella, Coleophora	260	gonodactyla, Platyptilia	275
flavofasciata, Perizoma	86	gothica, Orthosia	16, 17, 18-19, 87, 101
floslactella, Stigmella	83	gracilis, ssp. of Plusia putnami	88
fluctuata, Xanthorhoe	15, 16, 86	gracilis, Orthosia	71, 87
fluxa, Chortodes	119	graminis, Cerapteryx	87
foenella, Epiblema	271	grandipennis, Scythris	267
forficalis, Evergestis	86, 273	grisealis, Herminia	88
forficella, Harpella	251, 262	griseana, Zeiraphera	271
formosa, Pempelia	274	grisella, Achroia	274
formosana, Enarmonia	271		

grossulariata, Abraxas.....	86	inquinatana, Cydia.....	105, 109, 272
grotiana, Epagoge.....	27-29, 268	insectella, Haplotinea.....	255
gularis, Paralipsa.....	111	insulana, Earias.....	106, 120
gysseleniella, Cedestis.....	259	insulana, Pammene.....	283
halophilana halophilana, Cochylimorpha.....	32-33, 36, 37	interjecta, Noctua.....	87, 182
hamana, Agapeta.....	84	interpunctella, Plodia.....	111
hamella, Crambus.....	273	intimella, Ectoedemia.....	253
hammoniella, Heliozela.....	255	intricata, Eupithecia.....	17
hannoverella, Ectoedemia.....	253	inturbata, Eupithecia.....	86
hastiana, Acleris.....	269	inulae, Coleophora.....	261
haworthana, Glyphipterix.....	258	io, Aglais.....	179
hecta, Hepialus.....	165-166	io, Inachis.....	179, 181
heegeriella, Phyllonorycter.....	257	ipsilon, Agrotis.....	82, 87, 122, 131, 182, 235
hellerella, Blastodacna.....	84, 267	irrorella, Yponomeuta.....	259
hemargyrella, Stigmella.....	83	isodactylus, Platyptilia.....	275
hemerobiella, Coleophora.....	260	italica, Metalampra.....	262
hemidactylella, Caloptilia.....	231-233, 257	ivella, Argyresthia.....	203
heparana, Pandemis.....	84	jacobaeae, Tyria.....	66, 80, 87
hepatariella, Levipalpus.....	263	janthe, Noctua.....	87
heraclei, Depressaria.....	84	janthinana, Grapholita.....	272, 276
heracliana, Agonopterix.....	182	japygiaria, Menophra.....	106, 114
heringella, Ectoedemia.....	253	jota, Autographa.....	88
herrichiana, Pammene.....	272	juncicolella, Coleophora.....	164
hilarella, Phyllonorycter.....	257	jungiella, Grapholita.....	272
hippotoe, Lycaena.....	215	junoniella, Phyllonorycter.....	257
holmiana, Acleris.....	84	jurassicella, Mompha.....	184, 267
hornigi, Monochroa.....	264	jurtina, Maniola.....	185, 188-191, 238
horridella, Ypsolopha.....	259	kackeritziana, Agonopterix.....	263
hortulata, Eurrhpara.....	86, 273	kindermanniana, Aethes.....	34
hospes, Proxenus.....	119	kleemannella, Phyllonorycter.....	258
hostilis, Sciota.....	236	kuehniella, Ephestia.....	111
humidalis, Hypenodes.....	161-162	laburnella, Leucoptera.....	260
humiliata, Idaea.....	40-41, 161	lacteana, Bactra.....	270
humuli, Hepialus.....	83, 165-166	lacteella, Mompha.....	266
hyale, Colias.....	112	lacticolella, Blastobasis.....	84
hybnerella, Stigmella.....	83	lacunana, Celypha.....	84
hybridella, Cochylis.....	268	lacustrata, Dipleurina.....	86
hylaeformis, Pennisetia.....	212-214	laetana, Ancylis.....	270
icarus, Polyommatus.....	80, 237-242	laetus, Crombrugghia.....	275
ichneumoniformis, Bembecia.....	168	laetus, Oxyptilus.....	177, 226
icterata, Eupithecia.....	86	lancealana, Bactra.....	84
icteritia, Xanthia.....	87	langiella, Mompha.....	226, 266
ignorata, Pammene.....	276, 282-285	lappella, Metzneria.....	84, 263
illutana, Cydia.....	272	laricella, Coleophora.....	260
imbecilla, Eriopygodes.....	278-279	larseniella, Syncopacma.....	203, 265
immaculatella, Eulampotes.....	264	lassella, Coleophora.....	261
immundana, Epinotia.....	270	laterana, Acleris.....	84
implicitana, Cochylidia.....	34, 226, 268	lateritia, Apamea.....	106, 119
impluviata, Hydriomena.....	73	lathamella, Chrysoclista.....	267
impura, Mythimna.....	87, 183	lathonia, Issoria.....	112
incanana, Eana.....	269	lathoniellus, Crambus.....	84
incarnatella, Rhigognostis.....	259	latistria, Agriphila.....	95
incerta, Orthosia.....	87	latomarginata ssp. of Zygaena lonicerae.....	177
incertana, Cnephasia.....	84, 269	latruncula, Oligia.....	88, 183
incognitella, Stigmella.....	253	lautella, Phyllonorycter.....	258
ino, Brenthis.....	219	leautieri, Lithophane.....	87, 175
inornatella, Brachmia.....	266	lecheana, Ptycholoma.....	84, 268
		lemnata, Cataclysta.....	273

leucapennella, Caloptilia.....	257	luteum, Spilosoma.....	87
leucatella, Recurvaria.....	264	luticomella, Elachista.....	262
leucographa, Cerastis.....	80, 87, 117	lutipennella, Coleophora.....	260
leucographella, Phyllonorycter.....	22-23, 257	lutosa, Rhizedra.....	88
leucomelas, Aedia.....	106, 122	lutulenta, Aporophyla.....	18
leucophaearia, Agriopis.....	19, 104, 170	lutulentella, Monochroa.....	11-12, 203, 264
leucostigma, Celaena.....	70	luzella, Lampronia.....	254
levana, Araschnia.....	135	lychnidis, Agrochola.....	87
libatrix, Scoliopteryx.....	88	machaon, Papilio.....	111
licarsisalis, Herpetogramma.....	105, 110	maculicerusella, Elachista.....	80, 84
lichenella, Dahlia.....	255	maculosana, Hysterothorax.....	267
lienigiana, Hellinsia.....	92, 94	maestingella, Phyllonorycter.....	83
lienigiella, Cosmopterix.....	267	magdalenae, Stigmella.....	226, 254
lignea, Blastobasis.....	250	malifoliella, Leucoptera.....	83
ligula, Conistra.....	172, 176	malvae, Pyrgus.....	203
ligustri, Craniothorax.....	174	margaritana, Campaea.....	87, 173
ligustri, Sphinx.....	173	margaritella, Catoptria.....	109
lineatella, Anarsia.....	109	margarotana, Gravitarata.....	251, 271
lipsiana, Acleris.....	269	marginana, Endothenia.....	270
lipsiella, Diurnea.....	263	marginata, Lomaspilis.....	86
literana, Acleris.....	269	mariscolore, ab. of	
literosa, Mesoligia.....	88	Polyommatus icarus.....	239
lithargyrinella, Coleophora.....	260	maritima, Bucculatrix.....	59, 60
lithodactyla, Oidaematophorus.....	276	maritima, Phycitodes.....	95
lithoxylaea, Apamea.....	88, 183	marmoreum, Caryocolum.....	265
litoralis, Mythimna.....	95	maura, Mormo.....	25, 175
littoralis, Lobesia.....	84	mayrella, Coleophora.....	84, 260
litura, Agrochola.....	87	megacephala, Acronicta.....	87
livornica, Hyles.....	115	mellonella, Galleria.....	206
lobarzewskii, Grapholita.....	203, 272	mendica, Diaphora.....	87
logiana, Acleris.....	269	mendica, Diarsia.....	87
longana, Cnephassa.....	84, 268	mercurella, Eudonia.....	86
loniceriae, Zygaena.....	71, 83, 177, 209-211	mespilella, Phyllonorycter.....	257
lophyrella, Sorhagenia.....	267	meticulosa, Phlogophora.....	88, 183
loreyi, Mythimna.....	117	metzneriana, Eucosma.....	271
lota, Agrochola.....	87	metzneriella, Metzneria.....	84, 264
lotella, Anerastia.....	276	micacea, Hydraecia.....	88
louisella, Ectoedemia.....	253	micalis, Tebenna.....	258
lubricipeda, Spilosoma.....	87	michaelorum, Onconemesis.....	33
lucens, Amphipoea.....	88, 119	microdactyla, Adaina.....	80, 86, 276
lucernea, Standfussiana.....	66, 117	microtheriella, Stigmella.....	83, 254
lucida, Acontia.....	119	minima, Photedes.....	88
lucipara, Euplexia.....	87	minimella, Ectoedemia.....	253
luctuosa, Tyta.....	122, 176	minimus, Cupido.....	203
luedersiana, Pammene.....	36, 38	miniosa, Orthosia.....	117
lueneburgensis, Aporophyla.....	227	ministrana, Eulia.....	268
lunana, Philedonides.....	268	moguntiana, Cochylidia.....	34
lunaris, Batia.....	262	molliculana, Cochylis.....	251, 268
lunaris, Minucia.....	135	monodactyla, Emmelina.....	86, 173
lunosa, Omphaloscelis.....	66, 87	monoglypha, Apamea.....	14, 88, 101, 183
lunula, Calophasia.....	117	montanana, Dichrorampha.....	272
lunulana, Grapholita.....	272, 276	montanata, Xanthorhoe.....	86
lunularia, Selenia.....	114	morosa, Lampronia.....	254
lupulinus, Hepialus.....	83	morpheus, Caradrina.....	88
lurideola, Eilema.....	87	mulinella, Mirificarma.....	265
lusciniapennella, Coleophora.....	260	multiocellata, ab. of	
lutealis, Udea.....	86	Pyronia tithonus.....	185, 188
luteolata, Opisthograptis.....	16, 86	munda, Orthosia.....	87

mundana, Nudaria	87	ochroleucana, Hedya	84
muscerda, Pelosia	136	ochsenheimeriana, Pammene	272
musculana, Syndemis	84	ocularis, Tethea	86
mygindiana, Olethreutes	109, 269	oculea agg., Amphipoea	88
myllerana, Prochoreutis	258	oditis, Leucochlaena	117
myrtillana, Ancylis	270	oehlmanniella, Incurvaria	254
nana, Cochylis	268	ohridella, Cameraria	258
nanana, Epinotia	270	oleae, Prays	108, 259
napaea, Acleris	31, 32	oleracea, Lacanobia	87, 182
nebulella, Paraswammerdamia	83	olivalis, Udea	86
nemoralis, Agrotera	111, 135	ononaria, Aplasta	112
nemorella, Ypsolopha	259	ononidis, Parectopa	257
nerii, Daphnis	115	ophiogramma, Apamea	71, 88, 98, 183
neurica, Archanara	162	oppressana, Gypsonoma	271
neuropterella, Metzneria	264	orientalis, Hypenodes	162
ni, Trichoplusia	120	ornitopus, Lithophane	175
nigra, Gelechia	265	orobana, Grapholita	276
nigricana, Cydia	272	osseana, Eana	84
nigricans, Euxoa	182	osteodactylus, Hellinsia	276
nigricomella, Bucculatrix	256	ostrina, Eublemma	136
nigricostana, Endothenia	270	ottomana, Lycaena	215-223
nigropunctata, Scopula	113	oxyacanthae, Allophyes	73, 87
nisella, Epinotia	84	oxyacanthella, Stigmella	83
nitentella, Scrobipalpa	265	oxycanthae, Phyllonorycter	83, 257
nitidalis, Musotima	106, 109	padella, Yponomeuta	83
nobilella, Elachista	262	palealis, Sitochroa	109
noctuella, Nomophila	82, 86, 122, 124, 235	paleana, Aphelia	84
notatella, Carpatolechia	265	pallens, Mythimna	87, 183
nubiferana, Hedya	84	pallida, Eudonia	80, 86, 98
nubilalis, Ostrinia	110, 136, 273	pallidactyla, Gillmeria	275
nupta, Catocala	183	palpina, Pterostoma	87
nymphaeata, Elophila	86	palumbella, Pempelia	274
obelisca, Euxoa	117	palustrana, Olethreutes	269
obeliscata, Thera	86, 102	parasitella, Ephestia	275
oblitella, Ancyloclosis	111	parasitella, Triaxomera	256
oblonga, Apamea	96, 97	paripennella, Coleophora	261
obraztsovi, Gypsonoma	33, 35, 38	parva, Eublemma	119
obscurana, Epiblema	282	parvulana, Eucosma	271
obscurana, Pammene	271	pascuella, Crambus	84, 273
obscurata, Charissa	93	pasiuana, Cnephasia	268
obscuratana, Dichrorampha	39	paupella, Ptocheuusa	264
obscurepunctella, Perittia	261	pectinataria, Colostygia	73, 86
obscurissima, f. of Eupithecia subfuscata	70	pedella, Stathmopoda	203, 266
obsitalis, Hypena	122	peltigera, Heliothis	134
obsoleta, Mythimna	96, 98	pentadactyla, Pterophorus	276
obsoletella, Scrobipalpa	265	peribenanderi, Coleophora	84
obstipata, Orthonama	130, 149	perieresalis, Diploposeustis	135, 274
obumbratana, Eucosma	271	perlella, Crambus	84
occulta, Eurois	117	perlucidalis, Phlyctaenia	95, 273
occultella, Ectoedemia	226	permixtana, Gynnidomorpha	267
ocellana, Agonopterix	263	perplexa, Hadenia	71, 80, 87
ocellaris, Xanthia	118, 177	perpygmaeella, Stigmella	83
ocellata, Smerinthus	71, 87	persicariae, Melanchra	69, 87, 182
ocellea, Euchromius	273	perspectalis, Cydalima	110
ochraceella, Mompha	84	perspectalis, Diaphania	136, 274
ochrata, Idaea	113	phasianipennella, Calybites	257
ochrodactyla, Gillmeria	94, 275	phlaeas, Lycaena	215, 222
ochroleuca, Eremobia	88	phragmitella, Chilo	80, 84

phragmitella, Limnaecia	267	pumicana, Cnephasia	269
phragmitidis, Arenostola	96, 98	pupillaria, Cyclophora	112
picaepennis, Scythris	167, 267	purpuralis, Pyrausta	86
pilosaria, Phigalia	19, 104, 170	purpurina, Eublemma	119
pinella, Catoptria	80, 84	pusaria, Cabera	86
pinguis, Euzophera	86	puta, Agrotis	16, 87
pini, Dendrolimus	135	putnami, Plusia	88
piniana, Corticivora	35	putris, Axylia	87
pinaria, Bupalus	86	pygarga, Protodeltote	88
pinicolana, Rhyacionia	64	pygmaeata, Eupithecia	94
pisi, Melanchra	87	pygmaeola, Eilema	116
plagiata, Aplocera	86	pyralella, Scoparia	86, 273
plagicolella, Stigmella	83	pyraliata, Eulithis	73, 86
platani, Phyllonorycter	257	pyralina, Cosmia	183
platanoidella, Phyllonorycter	258	pyramidea, Amphipyra	87, 183
plebeja, Hada	66, 87	pyrella, Swammerdamia	259
pecta, Ochropleura	87, 182	pyri, Saturnia	112
plexippus, Danaus	112	pyrina, Zeuzera	173
plumigeralis, Pechipogo	122	pyritoides, Habrosyne	86
podana, Archips	84	pyrrhulipennella, Coleophora	260
politella, Bryotropha	264	quadra, Lithosia	116, 136
polychloros, Nymphalis	112	quadrifasiata, Xanthorhoe	86
polychromella, Syncopacma	105, 109	quadrillella, Ethmia	108
polygonalis, Uresiphita	27	quadripuncta f. Pyronia tithonus	188
polygonalis, Uresiphita	135	quadripunctoria, Euplagia	116
polyodon, Actinotia	105, 119	quercana, Carcina	84, 262
populetorum, Caloptilia	256	quercus, Lasiocampa	179-181
populi, Laothoe	87	radiata ab. of Callophrys rubi	225
porcellus, Deilephila	87, 93	ramburalis, Diasemiopsis	274
porphyrea, Lycophotia	87	rapae, Pieris	179
porrectella, Plutella	84, 259	raptricula, Cryphia	105, 119
postlanceolata, f. of Pyronia tithonus	192	rarissima f. of Pyronia tithonus	188
postvittana, Epiphyas	84	raschkiella, Mompha	84, 266
potatoria, Euthrix	86	ratzeburgiana, Zeiraphera	271
potentillella, Scythris	267	ravida, Spaelotis	182
poterii, Stigmella	253	rectangulata, Pasiphila	86
praeangusta, Batrachedra	160, 203, 266	recurvalis, Spoladea	110, 177, 226, 274
praecox, Actebia	117	regiana, Pammene	271
praelatella, Incurvaria	254	regiella, Stigmella	254
prasinana, Pseudoips	88	reliquana, Lobesia	270
proboscidalis, Hypena	88, 183	remissa, Apamea	88, 183
promissa, Catocala	121	repandata, Alcis	86, 182
pronuba, Noctua	87, 117, 182	resplendella, Heliozela	255
propinquella, Agonopterix	102, 263	retinella, Argyresthia	258
propinquella, Mompha	266	rhododactyla, Cnaemidophorus	111
proximella, Carpatolechia	265	rhombana, Accleris	84
prunalis, Udea	86	rhomboidaria, Peribatodes	73, 86
prunata, Eulithis	86	rivularis, Hadena	71, 87
pruniana, Hedya	84	roborana, Epiblema	84
pruniella, Argyresthia	83, 259	roborella, Phycita	274
pseudospretella, Hofmannophila	84	roseana, Cochylis	80, 84, 268
psi, Acronicta	87	rubi, Callophrys	203, 225
pterodactyla, Stenoptilia	86	rubi, Diarsia	87, 182
pudibunda, Calliteara	87	rubigana, Aethes	84
pulchelloides, Utetheisa	136	rubiginata, Plemyria	86, 173
pulchrimella, Cosmopterix	226, 267	rubiginata, Scopula	113
pulchrina, Autographa	88	rubricosa, Cerastis	87
pulverosella, Bohemania	252	rufa, Coenobia	88

rufana, <i>Acleris</i>	32, 269	sericopeza, <i>Ectoedemia</i>	252
rufescens, <i>Helcystogramma</i>	84, 266	serratella, <i>Coleophora</i>	260
ruficiliana, <i>Falseuncaria</i>	268	serricornis, <i>Biselachista</i>	262
ruficiliaria, <i>Cyclophora</i>	113, 136, 177	servillana, <i>Cydia</i>	272
rufifasciata, <i>Gymnoscelis</i>	86	sexguttella, <i>Chrysoesthia</i>	264
rufimitrella, <i>Adela</i>	255	sexstrigata, <i>Xestia</i>	87, 182
rufipennella, <i>Caloptilia</i>	256	silaceata, <i>Ecliptopera</i>	86
rufocinerea, <i>Elachista</i>	262	similaria, <i>Parectropis</i>	26
rugosana, <i>Phtheochroa</i>	15	similella, <i>Denisia</i>	262
rumicis, <i>Acronicta</i>	87	similella, <i>Elegia</i>	111
ruralis, <i>Pleuroptya</i>	86, 274	similis, <i>Euproctis</i>	87, 182
uricolella, <i>Nemapogon</i>	256	simplicella, <i>Dioryctria</i>	275
rustica, f. of <i>Prays fraxinella</i>	84	simpliciella, <i>Glyphipterix</i>	83
rutilana, <i>Aethes</i>	268	simulans, <i>Rhyacia</i>	182
sacchari, <i>Opogona</i>	256	singula, <i>Neofriseria</i>	265
sacraria, <i>Rhodometra</i>	129	sinica, <i>Pryeria</i>	106, 108
sagitella, <i>Phyllonorycter</i>	236	siterata, <i>Chloroclysta</i>	86, 173
salicis, <i>Leucoma</i>	87, 116, 174	smeathmanniana, <i>Aethes</i>	84
salicis, <i>Stigmella</i>	83	sociana, <i>Gypsonoma</i>	271
salicorniae, <i>Coleophora</i>	97, 261	sociella, <i>Aphomia</i>	86, 274
saligna, <i>Phyllocnistis</i>	258, 280	solitariella, <i>Coleophora</i>	261
salinella, <i>Scrobipalpa</i>	98	somnulentella, <i>Bedellia</i>	226, 260
salopiella, <i>Eriocrania</i>	252	sorbi, <i>Phyllonorycter</i>	257
sambucaria, <i>Ourapteryx</i>	72, 86	sordens, <i>Apamea</i>	88, 183
samiatella, <i>Stigmella</i>	253	sordidana, <i>Epinotia</i>	270
sangiella, <i>Syncopacma</i>	94	sordidatella, <i>Depressaria</i>	263
sangii, <i>Eriocrania</i>	226, 252	sororcula, <i>Eilema</i>	174
sarcitrella, <i>Endrosis</i>	84	spadicearia, <i>Xanthorhoe</i>	86
saucia, <i>Peridroma</i>	130-131	sparganella, <i>Orthotelia</i>	259
saxicola, <i>Phycitodes</i>	194	sparsana, <i>Acleris</i>	84
saxicolella, <i>Coleophora</i>	84, 261	spartiella, <i>Anarsia</i>	266
saxifragae, <i>Kessleria</i>	259	speciosa, <i>Stigmella</i>	253
scabiodactylus, <i>Stenoptilia</i>	275	spectrana, <i>Clepsis</i>	84, 268
scabrella, <i>Ypsolopha</i>	259	sphinx, <i>Asteroscopus</i>	87
schalleriana, <i>Acleris</i>	269	spinosella, <i>Argyresthia</i>	258
schuetzeella, <i>Dioryctria</i>	274	splendana, <i>Cydia</i>	84, 272
schulziana, <i>Olethreutes</i>	269	splendens, <i>Lacanobia</i>	117
scillonina, ab. of		sponsa, <i>Catocala</i>	122
<i>Polyommatus icarus</i>	237-242	stabilella, <i>Cosmiotes</i>	262
scolopacina, <i>Apamea</i>	174	stagnata, <i>Nymphula</i>	273
scopariella, <i>Agonopterix</i>	263	steinkellneriana, <i>Semioscopis</i>	263
scotinella, <i>Gelechia</i>	265	stellatarum, <i>Macroglossum</i>	122, 131,
scrophulariae, <i>Shargacucullia</i>	135		135, 140-143
secalis agg., <i>Mesapamea</i>	88, 182, 183	stephensi, <i>Dystebenna</i>	267
sedatana, <i>Dichrorampha</i>	272	stephensiana, <i>Cnephasia</i>	84
segetum, <i>Agrotis</i>	87	sternipennella, <i>Coleophora</i>	261
selasella, <i>Agriphila</i>	98	sticticalis, <i>Loxostege</i>	109
semifascia, <i>Caloptilia</i>	257	stigmatella, <i>Caloptilia</i>	256
semifasciana, <i>Apotomis</i>	269	straminea, <i>Mythimna</i>	80, 87, 98, 174
semifulvella, <i>Tinea</i>	83, 256	straminella, <i>Agriphila</i>	84
semipurpurella, <i>Eriocrania</i>	252	striana, <i>Celypha</i>	84, 269
semirubella, <i>Oncocera</i>	111, 274	striatella, <i>Isophrictis</i>	94, 264
senectana, <i>Dichrorampha</i>	39, 272	striatipennella, <i>Coleophora</i>	84, 261
senticetella, <i>Gelechia</i>	265	strigana, <i>Lathronympha</i>	84
septembrella, <i>Ectoedemia</i>	253	strigilis, <i>Oligia</i>	88
sequax, <i>Teleiodes</i>	168	strigulatella, <i>Phyllonorycter</i>	258
sericealis, <i>Rivula</i>	88	strobilella, <i>Cydia</i>	272
sericiella, <i>Heliozela</i>	255	sturnipenella, <i>Mompha</i>	95

suasa, Lacanobia	97	transversa, Eupsilia	87
suavella, Trachycera	274	trapezina, Cosmia	88
suavis, Pseudocoremia	114	treitschkiella, Antispila	255
subbimaculella, Ectoedemia	253	tremula, Pheosia	87
subbistrigella, Mompha	84, 184	triangulum, Xestia	87, 182
subfusca, Scoparia	84, 273	triatomea, Elachista	262
subfuscata, Eupithecia	70, 86	tridens, Acronicta	87
subocellana, Epinotia	270	trifasciata, Argyresthia	251, 258
subocellea, Elachista	262	trifolii, Coleophora	260
subpropinquella, Agonopterix	102, 263	trifolii, Discestra	87
subpurpurella, Eriocrania	83	trigeminata, Idaea	173
subsequana, Acroclita	270	trigonella, Epinotia	270
subtusa, Ipimorpha	88	trigrammica, Charanyca	88
succenturiata, Eupithecia	71	trimaculana, Epiblema	84
suffumata, Lampropteryx	86	trimaculella, Stigmella	253
suffusella, Monochroa	264	tringipennella, Aspilapteryx	257
swammerdamella, Nematopogon	255	trinetella, Tinea	83
sybilla, Limenitis	190	tripartita, Abrostola	88
sylvestrana, Clavigesta	271	tripoliana, Eucosma	271
sylvestrella, Dioryctria	111	tripuncta, Telechrysis	262
sylvina, Hepialis	83, 182	tripunctaria, Eupithecia	70, 86
syringella, Caloptilia	257	tresignaria, Eupithecia	25, 70
taeniipennella, Coleophora	261	tristella, Agriphila	84, 273
taeniolella, Syncopacma	168	tristrigella, Phyllonorycter	83
tantillaria, Eupithecia	26	tritici, Euxoa	80, 87, 182
tarsipennalis, Zanclognatha	88	truncata, Chloroclysta	86, 182
temerata, Lomographa	87	truncicolella, Eudonia	273
templi, Dasypolia	66	tullia, Coenonympha	185, 188-191
tenebrata, Panemeria	88	tumidana, Conobathra	111
tenebrella, Monochroa	264	tunbergella, Micropterix	252
tenebrosa, Dryobotodes	118	turbidana, Epiblema	271
tenebrosana, Grapholita	12	turfosalis, Hypenodes	161
tenerana, Epinotia	84	turionella, Pseudococcyx	65, 271
tenuiata, Eupithecia	79, 86	typhae, Nonagria	88
terebrella, Assara	111, 275	typica, Naenia	69, 87, 174, 182
terminella, Mompha	266	uddmanniana, Epiblema	84
terrealis, Algedonia	273	ulicetana, Cydia	84
terrella, Bryotropha	84	uliginosellus, Crambus	273
tesserana, Aethes	268	ulmella, Bucculatrix	256
tessulatana, Blastesthia	64	ulmifoliella, Phyllonorycter	258
tessulatana, Pseudococcyx *	64-65,	ulmivora, Stigmella	83
	251, 271	ultimella, Depressaria	263
testacea, Luperina	70, 88, 183	umbellana, Agonopterix	263
testata, Eulithis	86	umbrana, Acleris	269
testudinaria, Hyphoraraia	203	unanimis, Apamea	71, 88
tetragonana, Epiblema	271, 282	uncella, Ancylys	270
tetragonella, Monochroa	98	undalis, Hellula	109, 273
thalassina, Lacanobia	87	undulana, Orthotaenia	269
therinella, Coleophora	261	unguicella, Ancylys	270
thersamon, Lycaena	215	unicolorella, Eulamprotes	264
thoracella, Bucculatrix	256	unimaculella, Eriocrania	163, 252
tiliae, Mimas	87, 173	unipuncta, Mythimna	132
tiliae, Stigmella	253	upupana, Ancylys	270
tinctella, Crassa	262	urella, Ochsenheimeria	259
tithonus, Pyronia	185-194	urticae, Aglais	179, 181
tityrus, Lycaena	215, 222	ustomaculana, Rhopobota	270
togata, Xanthia	87	utonella, Biselachista	262
tragopoginis, Amphipyra	87, 183	vaccinii, Conistra	87, 104, 170

